

# NPN

New Product News



## QUADRUSH

PARTING & GROOVING



### Head Offset Type Holders Launched



## KEY POINT

**TaeguTec introduces head offset type holders for turning and grooving applications.**



The current line of QUAD-RUSH holders' limited length of relief angle means the line does not cover deep depth of cut in shoulder machining. To expand the line's range of turning and grooving solutions, TaeguTec has launched a new holder with a protruding head capable of deep depth of cut operations in shoulder machining.



## TQHR/L-20-Q





Holders for parting and grooving



Designation	Dimension (mm)					Insert
	H	HF	B	OAL	WF	
<b>TQHR/L 20-20-Q</b>	20	20	20	120	25	TQ... 20
<b>25-20-Q</b>	25	25	25	135	30.3	



### Spare parts

Designation	Screw	Wrench				
						
<b>TQHR-20-Q</b>	TS 40A100L	T-1508/5				
<b>TQHL-20-Q</b>	TS 40A100	T-1508/5				

## TQHR/L-20-TB-Q



Holders for parting and grooving with high pressure coolant



Designation	Dimension (mm)					CNT	Insert
	H	HF	B	OAL	WF		
<b>TQHR/L 20-20-TB-Q</b>	20	20	20	120	25	G 1/8	TQ... 20
<b>25-20-TB-Q</b>	25	25	25	135	30.3	G 1/8	

### Spare parts

Designation	Screw	Plug 1	Plug 2	Wrench		
<b>TQHR-20-TB-Q</b>	TS 40A100L	PLG G1/8-L6.5	SS M6X1X6-NL	T-1508/5	L-W 5	L-W 3
<b>TQHL-20-TB-Q</b>	TS 40A100	PLG G1/8-L6.5	SS M6X1X6-NL	T-1508/5	L-W 5	L-W 3